

## 【外部発表論文】冷却材喪失事故(LOCA)と被覆管に関する成果リスト

| No | 登録番号      | 著者氏名                             | 原標題  | 資料名   | 発行年月    | 巻   | 号   | 開始ページ | 終了ページ |
|----|-----------|----------------------------------|--|---|---------|-----|-----|-------|-------|
| 1  | A19711238 | 安藤良夫;三島良績;都甲泰正;川崎正之;<br>村主進;竹越尹  | A Review of safety aspects of nuclear power plants in Japan  | Proc.Fourth Int.Conf.Peaceful Uses Atomic Energy, 3 | 1972/00 | 3   |     | 279   | 295   |
| 2  | A19733411 | 古田照夫;川崎了                         | Stress-rupture properties of helium-injected zircaloy-4  | Journal of Nuclear Science and Technology           | 1974/06 | 11  | 6   | 268   | 269   |
| 3  | A19744205 | 村主進;川崎了                          | 原子炉安全工学講座,12; 冷却材喪失事故時の燃料の挙動   | 原子力工業   | 1974/08 | 20  | 8   | 70    | 74    |
| 4  | A19766447 | 下桶敬則;松本潔                         | Probability distributions of peak-clad temperature and cladding oxidation thickness in loss-of-coolant accidents for a typical boiling water reactor | Nucl.Technol.                                       | 1977/01 | 35  | 1   | 119   | 130   |
| 5  | A19777244 | 古田照夫;川崎了;橋本政男;大友隆                | Oxygen embrittlement for zircaloy cladding   | Journal of Nuclear Science and Technology           | 1978/02 | 15  | 2   | 152   | 155   |
| 6  | A19799049 | 村尾良夫                             | Analytical study of thermo-hydrodynamic behavior of reflood-phase during LOCA  | Journal of Nuclear Science and Technology           | 1979/00 | 16  | 11  | 802   | 817   |
| 7  | A19799048 | 原山泰雄;古田照夫                        | ジルカロイ被覆管からみた合金設計への期待   | 材料科学  | 1979/00 | 16  | 4,5 | 173   | 179   |
| 8  | A19800172 | 古田照夫;本橋治彦                        | Products at the surface of zircaloy cladding under a LOCA condition  | J.Nucl.Mater.                                       | 1980/00 | 95  | 3   | 303   | 306   |
| 9  | A19799215 | 古田照夫;川崎了                         | Acceleration of zircaloy-steam reaction rate by deformation under high temperature transient   | Journal of Nuclear Science and Technology           | 1980/00 | 17  | 3   | 243   | 245   |
| 10 | A19799097 | 鈴木元衛;川崎了                         | Development of computer code PRECIP-II for calculation of Zr-steam reaction; Comparison of calculation with experiments in temperature transient     | Journal of Nuclear Science and Technology           | 1980/00 | 17  | 4   | 291   | 300   |
| 11 | A19811260 | 鈴木元衛                             | High temperature deformation behavior of gradually pressurized zircaloy-4 tubes  | Journal of Nuclear Science and Technology           | 1981/00 | 18  | 8   | 617   | 628   |
| 12 | A19811063 | 石川迪夫;吉村富雄;星鳶雄;稲辺 輝雄              | 軽水炉における事故時の燃料破損形態と炉心冷却性  | 日本原子力学会誌  | 1981/00 | 23  | 12  | 930   | 938   |
| 13 | A19800227 | 古田照夫;上塚寛;川崎了                     | Ductility loss of zircaloy cladding by inner-surface oxidation during high temperature transient   | Journal of Nuclear Science and Technology           | 1981/00 | 18  | 10  | 802   | 810   |
| 14 | A19800173 | 上塚寛;古田照夫;川崎了                     | Zircaloy-4 cladding embrittlement due to inner surface oxidation under simulated LOCA condition  | Journal of Nuclear Science and Technology           | 1981/00 | 18  | 9   | 705   | 717   |
| 15 | A19811362 | 古田照夫;川崎了                         | Reaction behavior of zircaloy-4 in steam-hydrogen mixture at high temperature  | J.Nucl.Mater.                                       | 1982/00 | 105 | 2   | 119   | 131   |
| 16 | A19811215 | 田坂 完二;斯波正誼;小泉 安郎;安濃田良成;安部信明;鈴木光弘 | ROSA-III base test series for a large break loss-of-coolant accident of boiling water reactor  | Nucl.Technol.                                       | 1982/00 | 57  |     | 179   | 191   |

| No | 登録番号      | 著者氏名                        | 原標題  | 資料名  | 発行年月    | 巻   | 号  | 開始ページ | 終了ページ |
|----|-----------|-----------------------------|--|--|---------|-----|----|-------|-------|
| 17 | A19811176 | 斎藤伸三;石島清見;塩沢周策;岩田耕司         | Effects of rod pre-pressurization on light water reactor fuel behavior during reactivity accident conditions                       | Journal of Nuclear Science and Technology                          | 1982/00 | 19  | 4  | 289   | 306   |
| 18 | A19811169 | 上塚寛;古田照夫;川崎了                | Embrittlement of Zircaloy-4 due to oxidation in environment of stagnant  | Journal of Nuclear Science and Technology                          | 1982/00 | 19  | 2  | 158   | 165   |
| 19 | A19822383 | 鈴木元衛                        | Simulation test on interactions of zircaloy claddings deforming in fuel assembly under LOCA conditions                             | Journal of Nuclear Science and Technology                          | 1983/00 | 20  | 6  | 475   | 490   |
| 20 | A19822319 | 杉本純;村尾良夫                    | Experimental study of effect of initial clad temperature on reflood phenomena during PWR-LOCA                                      | Journal of Nuclear Science and Technology                          | 1983/00 | 20  | 8  | 656   | 667   |
| 21 | A19844030 | 古田照夫;上塚寛;川崎了                | Estimation of conservatism of present embrittlement criteria for zircaloy fuel cladding under LOCA                                 | Zirconium in the Nuclear Industry                                  | 1984/00 |     |    | 734   | 746   |
| 22 | A19844138 | 熊丸博滋;小泉 安郎;田坂 完二            | Five percent break BWR LOCA/ECC test at ROSA-III without HPCS actuation; Two dimensional core thermal-hydraulic phenomena          | Nucl.Eng.Des.  | 1985/00 | 86  |    | 219   | 239   |
| 23 | A19833532 | 小泉 安郎;入子真規;与能本泰介;田坂 完二      | Experiment analysis of power curve sensitivity test series at ROSA-III   | Nucl.Eng.Des.  | 1985/00 | 86  |    | 267   | 287   |
| 24 | A19855506 | 石田紀久;原山泰雄;知新之亮              | Oxidation of 304 stainless steel in high-temperature steam   | J.Nucl.Mater.  | 1986/00 | 140 |    | 74    | 84    |
| 25 | A19855083 | 杉本純;須藤高史;村尾良夫               | Analytical study of thermal response similarity between simulated fuel rods and nuclear fuel rods during reflood phase of PWR-LOCA | Journal of Nuclear Science and Technology                          | 1986/00 | 23  | 4  | 315   | 325   |
| 26 | A19855044 | 岩村公道;安達公道;傍島真               | Experimental study of two-dimensional thermal-hydraulic behavior in core during reflood phase of PWR LOCA                          | Journal of Nuclear Science and Technology                          | 1986/00 | 23  | 2  | 123   | 135   |
| 27 | A19844391 | 与能本泰介;小泉 安郎;田坂 完二           | Investigation of BWR LOCA at ROSA-III; Effect of break configuration on system transients  | Nucl.Eng.Des.  | 1986/00 | 92  |    | 195   | 205   |
| 28 | A19866245 | 井口正;村尾良夫;秋本肇                | Assessment of core radial power profile effect model of REFLA code by using CCTF data  | Journal of Nuclear Science and Technology                          | 1987/07 | 24  | 7  | 536   | 546   |
| 29 | A19866459 | 井口正;村尾良夫;杉本純;秋本肇;大久保 努;北條恒行 | Assessment of current safety evaluation analysis on reflood behavior during PWR-LOCA by using CCTF data                            | Journal of Nuclear Science and Technology                          | 1987/11 | 24  | 11 | 887   | 896   |
| 30 | A19880353 | 早田邦久                        | 工学的安全研究  | プロメテウス   | 1988/00 | 0   | 67 | 38    | 46    |
| 31 | A19866465 | 中村秀夫;久木田豊;田坂 完二             | BWR loss-of-coolant accident tests at ROSA-III with high temperature emergency core coolant injection                              | Journal of Nuclear Science and Technology                          | 1988/02 | 25  | 2  | 169   | 179   |
| 32 | B19901203 | 更田豊志;藤城俊夫                   | Hydrogen generation during cladding/coolant interactions under reactivity initiated accident conditions                            | Proc. of the 1st JSME/ASME Joint Int. Conf. on Nuclear Engineering | 1991/00 |     |    | 271   | 277   |

| No | 登録番号      | 著者氏名                              | 原標題  | 資料名  | 発行年月    | 巻   | 号  | 開始ページ  | 終了ページ  |
|----|-----------|-----------------------------------|--|--|---------|-----|----|--------|--------|
| 33 | B19950189 | 秋本肇;大貫晃;村尾良夫                      | Assessment of predictive capability of REFLA/TRAC code for peak clad temperature during reflood in LBLOCA of PWR with small scale test, SCTF and CCTF data | Validation of Systems Transients Analysis Codes (FED-Vol. 223)                         | 1995/00 | 0   |    | 8      |        |
| 34 | B19941281 | 秋本肇;大貫晃;村尾良夫                      | Assessment of REFLA/TRAC code for system behavior during reflood phase in a PWR LOCA with CCTF data  | Proc. of the 2nd Int. Conf. on Multiphase Flow 95-Kyoto                                | 1995/00 | 0   |    | P2¥_37 | P2¥_44 |
| 35 | B19961423 | 大貫晃;秋本肇                           | Assessment of REFLA/TRAC code for heat transfer enhancement phenomena during the reflood phase of PWR-LOCA   | Proc. of 5th Int. Topical Meeting on Nuclear Thermal Hydraulics, Operations and Safety | 1997/04 | 00  | 00 | 1      | 6      |
| 36 | A19980158 | 大久保 忠恒*;何川 修一*;鈴木 元衛              | ハルデン拡大計画会議   | 核燃料  | 1998/00 |     | 29 | 12     | 13     |
| 37 | A19980160 | 浅香英明;安濃田 良成;久木田豊;大津巖              | Secondary-side depressurization during PWR cold-leg small break LOCAs based on ROSA-V/LSTF experiments and   | Journal of Nuclear Science and Technology  | 1998/12 | 35  | 12 | 905    | 915    |
| 38 | B19991754 | 更田 豊志;永瀬 文久;中村 武彦;笹島 栄夫;上塚 寛      | JAERI research on fuel rod behavior during accident conditions   | NUREG/CP-0169  | 1999/10 |     |    | 341    | 354    |
| 39 | B19992050 | 永瀬 文久;大友 隆;谷本 政隆;上塚 寛             | Experiments on high burnup fuel behavior under LOCA conditions at JAERI  | Proceedings of the 2000 International Topical Meeting on LWR Fuel Performance (CD-ROM) | 2000/04 |     |    | 15     |        |
| 40 | A20000469 | 永瀬 文久                             | LOCA時挙動  | 最新核燃料工学; 高度化の現状と展望   | 2001/06 |     |    | 148    | 155    |
| 41 | B20011397 | 永瀬 文久;上塚 寛                        | Study of high burnup fuel behavior under LOCA conditions at JAERI; Hydrogen effects on the failure-bearing capability of cladding tubes                    | NUREG/CP-0176  | 2002/05 |     |    | 335    | 342    |
| 42 | B20010281 | 永瀬 文久;谷本 政隆;上塚 寛                  | Study on high burnup fuel behaviour under a LOCA conditions at JAERI   | IAEA-TECDOC-1320   | 2002/11 |     |    | 270    | 278    |
| 43 | A20020496 | 永瀬 文久;大友 隆;上塚 寛                   | Oxidation kinetics of low-Sn Zircaloy-4 at the temperature range from 773 to 1573 K  | Journal of Nuclear Science and Technology  | 2003/04 | 40  | 4  | 213    | 219    |
| 44 | A20020020 | 安田 良;仲田 祐仁;松林政仁;原田 克也;畠山 祐一;天野 英俊 | Application of hydrogen analysis by neutron imaging plate method to Zircaloy cladding tubes  | Journal of Nuclear Materials   | 2003/08 | 320 | 3  | 223    | 230    |
| 45 | A20030569 | 永瀬 文久;更田 豊志                       | Recent results from LOCA study at JAERI  | NUREG/CP-0185  | 2004/00 |     |    | 321    | 331    |
| 46 | B20040082 | 杉山 智之;永瀬 文久;中村 仁一;更田 豊志           | LOCA and RIA studies at JAERI  | HPR-362, Vol.2   | 2004/05 |     |    | 12     |        |
| 47 | A20030577 | 永瀬 文久;更田 豊志                       | Effect of pre-hydrating on thermal shock resistance of Zircaloy-4 cladding under simulated loss-of-coolant accident conditions                             | Journal of Nuclear Science and Technology  | 2004/07 | 41  | 7  | 723    | 730    |
| 48 | B20040678 | 永瀬 文久;更田 豊志                       | Results from simulated LOCA experiments with high burnup PWR fuel claddings  | Proceedings of 2004 International Meeting on LWR Fuel Performance                      | 2004/09 |     |    | 500    | 506    |
| 49 | A20030578 | 鈴木 元衛;草ヶ谷 和幸*;斎藤 裕明*;更田 豊志        | Analysis on lift-off experiment in Halden reactor by FEMAXI-6 code   | Journal of Nuclear Materials   | 2004/12 | 335 | 3  | 417    | 424    |

| No | 登録番号         | 著者氏名                                     | 原標題   | 資料名  | 発行年月    | 巻   | 号 | 開始ページ | 終了ページ |
|----|--------------|--|---|--|---------|-----|---|-------|-------|
| 50 | 09-2004-0233 | 山下 真一郎;吉武 庸光;赤坂 尚昭;鶴飼 重治;大貫 惣明           | Nano-meso Structures and Ring-tensile Properties of Neutron-irradiated ODS  | Vol.475-479(2005)1467  | 2005/00 |     |   | 0     |       |
| 51 | A20040146    | 永瀬 文久;更田 豊志                              | Behavior of pre-hydrated Zircaloy-4 cladding under simulated LOCA conditions  | Journal of Nuclear Science and Technology  | 2005/02 | 42  | 2 | 209   | 218   |
| 52 | B20051177    | 更田 豊志;永瀬 文久;杉山 智之                        | RIA- and LOCA-simulating experiments on high burnup LWR fuels   | Proceedings of IAEA Technical Meeting on Fuel Behaviour Modelling under Normal, Transient and Accident Conditions, and High Burnups (CD-ROM) | 2005/09 |     |   | 15    |       |
| 53 | BB20050127   | 中村 武彦;更田 豊志;永瀬 文久;杉山 智之                  | Behavior of high burnup fuels under RIA and LOCA conditions   | HPR-364, Vol.1   | 2005/10 |     |   | 16    |       |
| 54 | B20051174    | 永瀬 文久;更田 豊志                              | Embrittlement and fracture behavior of pre-hydrated cladding under LOCA conditions  | Proceedings of 2005 Water Reactor Fuel Performance Meeting (CD-ROM)  | 2005/10 |     |   | 668   | 677   |
| 55 | B20050844    | 鈴木 元衛;斎藤 裕明*;更田 豊志                       | RANNS code analysis on the local mechanical conditions of cladding of high burnup fuel rods under PCMI in RIA-simulated experiments in NSRR   | Proceedings of 2005 Water Reactor Fuel Performance Meeting (CD-ROM)  | 2005/10 |     |   | 579   | 601   |
| 56 | A20040624    | 永瀬 文久;更田 豊志                              | Results from studies on high burn-up fuel behavior under LOCA conditions  | NUREG/CP-0192  | 2005/10 |     |   | 197   | 230   |
| 57 | BB20050006   | 小野澤 淳;原田 晃男;本田 順一;安田 良;仲田 祐仁;金沢 浩之;西野 泰治 | Improved technique of hydrogen concentration measurement in fuel cladding by backscattered electron image                                     | JAEA-Conf 2006-003   | 2006/05 |     |   | 212   | 221   |
| 58 | AA20050380   | 永瀬 文久;更田 豊志                              | Fracture behavior of irradiated Zircaloy-4 cladding under simulated LOCA conditions   | Journal of Nuclear Science and Technology  | 2006/09 | 43  | 9 | 1114  | 1119  |
| 59 | AA20050163   | 鈴木 元衛;斎藤 裕明*;更田 豊志                       | RANNS code analysis on the local mechanical conditions of cladding of high burnup fuel rods under PCMI in RIA-simulated experiments in NSRR   | Journal of Nuclear Science and Technology  | 2006/09 | 43  | 9 | 1097  | 1104  |
| 60 | A20050068    | 鈴木 元衛;更田 豊志;斎藤 裕明*                       | Analysis on pellet-clad mechanical interaction process of high-burnup PWR fuel rods by RANNS code in Reactivity-initiated accident conditions | Nuclear Technology   | 2006/09 | 155 | 3 | 282   | 292   |
| 61 | BB20060352   | 山野 秀将;飛田 吉春                              | An Evaluation of CDA event sequences in a gas-cooled fast reactor   | Proceedings of 5th Korea-Japan Symposium on Nuclear Thermal Hydraulics and Safety (NTHAS-5)  | 2006/11 |     |   | 716   | 723   |
| 62 | AA20070357   | 梅田 幹                                     | 燃料安全研究国際会議2007(Fuel Safety Research Meeting2007); 軽水炉燃料の事故時挙動評価に関する研究成果の報告の   | 日本原子力学会核燃料部会ホームページ(インターネット)  | 2007/06 |     |   | 2     |       |
| 63 | BB20071974   | 竹田 武司;浅香 英明;鈴木 光弘;中村 秀夫                  | RELAP5 analysis of ROSA/LSTF vessel upper head break LOCA experiment  | Proceedings of 12th International Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-12) (CD-ROM)                                 | 2007/09 |     |   | 3     |       |

| No | 登録番号       | 著者氏名  | 原標題   | 資料名  | 発行年月    | 巻  | 号 | 開始ページ   | 終了ページ   |
|----|------------|---|---|--|---------|----|---|---------|---------|
| 64 | BB20081681 | 小野澤 淳;原田 晃男;本田 順一;仲田 祐仁;金沢 浩之;佐川 民雄                           | Improved technique for hydrogen concentration measurement in fuel claddings by backscattered electron image analysis, 2             | JAEA-Conf 2008-010   | 2008/12 |    |   | 325     | 332     |
| 65 | AA20080858 | 中頭 利則;永瀬 文久;更田 豊志   | High temperature oxidation of Nb-containing Zr alloy cladding in LOCA   | Nuclear Engineering and Technology   | 2009/03 | 41 | 2 | 163     | 170     |
| 66 | BB20090522 | 大貫 惣明*;橋本 直幸*;鶴飼 重治*;木村 晃彦*;井上 賢紀;皆藤 威二;藤澤 敏治*;奥田 隆成*;阿部 富士雄* | Super ODS steels R&D for fuel cladding of next generation nuclear systems, 9; Damage structure evolution under electron-irradiation | Proceedings of 2009 International Congress on Advances in Nuclear Power Plants (ICAPP '09) (CD-ROM)  | 2009/05 |    |   | 9307¥_1 | 9307¥_4 |
| 67 | BB20083296 | 大平 博昭;高松 操  | Draft; Thermal-hydraulic evaluation of Joyo fuel subassembly with local blockage  | Proceedings of 17th International Conference on Nuclear Engineering (ICONE-17) (CD-ROM)  | 2009/06 |    |   | 8       |         |
| 68 | AA20080754 | 永瀬 文久;中頭 利則;更田 豊志   | Behavior of high burn-up fuel cladding under LOCA conditions  | Journal of Nuclear Science and Technology  | 2009/07 | 46 | 7 | 763     | 769     |
| 69 | BB20083574 | 鈴木 元衛;杉山 智之;宇田川 豊;永瀬 文久;更田 豊志                                 | Comparative analysis on behavior of high burnup PWR fuels pulse-irradiated in reactivity-initiated accident conditions              | Proceedings of Top Fuel 2009 (DVD-ROM)   | 2009/09 |    |   | 473     | 479     |
| 70 | BB20083576 | 永瀬 文久;中頭 利則;更田 豊志   | Cladding embrittlement under LOCA conditions, examined by two test methodologies  | Proceedings of Top Fuel 2009 (DVD-ROM)   | 2009/09 |    |   | 527     | 537     |
| 71 | BB20101067 | 柳澤 和章   | Failure and its mechanism of LWR and research reactor fuels   | Proceedings of 3rd International Symposium on Symbiotic Nuclear Power Systems for 21st Century (ISSNP 2010) (CD-ROM)                                 | 2010/08 |    |   | 10      |         |
| 72 | AA20100562 | 柳澤 和章   | Failure and its mechanism of LWR and research reactor fuels   | International Journal of Nuclear Safety and Simulation   | 2010/09 | 1  | 3 | 246     | 257     |
| 73 | BB20102395 | 中塚 亨;三澤 文治;吉田 啓之;高瀬 和之  | Numerical analysis on thermal-hydraulics of supercritical water flowing in a tight-lattice fuel bundle                              | Proceedings of Joint International Conference of 7th Supercomputing in Nuclear Application and the 3rd Monte Carlo (SNA + MC 2010) (USB Flash Drive) | 2010/10 |    |   | 4       |         |